

2020 Buick Truck Enclave AWD V6-3.6L


Vehicle > Powertrain Management > Ignition System > Spark Plug > Service and Repair > Removal and Replacement

POWER BRAKE BOOSTER VACUUM HOSE REPLACEMENT


Document ID: 4752439

Removal Procedure

1. Positive Crankcase Ventilation Hose/Pipe/Tube (1) @ Camshaft Cover » Reposition — Positive Crankcase Ventilation Hose/Pipe/Tube Replacement




2. Engine Wiring Harness Retainer (1) @ Power Brake Booster Vacuum Hose » Remove




3. Electrical Connector (2) @ Power Brake Booster Vacuum Sensor » Disconnect

4. Power Brake Booster Vacuum Sensor (1) @ Power Brake Booster » Remove




5. Power Brake Booster Vacuum Hose Clamp (1) » Release




6. Power Brake Booster Vacuum Hose (2) @ Upper Intake Manifold » Remove

7. Quick Connect Fitting (1) » Disconnect




8. Power Brake Booster Vacuum Hose (2) @ Power Brake Booster Pump » Remove

9. Power Brake Booster Vacuum Hose (1) » Remove




Installation Procedure

1. Power Brake Booster Vacuum Hose (1) » Install




2. Power Brake Booster Vacuum Hose (2) @ Power Brake Booster Pump » Install



3. Quick Connect Fitting (1) » Connect


4. Power Brake Booster Vacuum Hose (2) @ Upper Intake Manifold » Install




5. Power Brake Booster Vacuum Hose Clamp (1) » Secure

Note: A small amount of denatured alcohol may be used to ease assembly.

6. Power Brake Booster Vacuum Sensor (1) @ Power Brake Booster » Install



7. Electrical Connector (2) @ Power Brake Booster Vacuum Sensor » Connect



8. Engine Wiring Harness Retainer (1) @ Power Brake Booster Vacuum Hose » Install

9. Positive Crankcase Ventilation Hose/Pipe/Tube (1) @ Camshaft Cover » Install — Positive Crankcase Ventilation Hose/Pipe/Tube Replacement

